# CATALOGUE OF SUTURES & LIGATURE









# We Believe Quality is the Key to Success,

Matu International Pvt Ltd is a leading manufacturer and exporter of medical, surgical and diagnostic products Our aim, is to provide high quality health care products at affordable price to our valuable customers. We supply our product to leading and distinguished Govt. institutions, Private Corporate Hospitals, Nursing Homes, Clinics and Retail counters in India and to several other countries as well. Seamless services to our customers since a long time has helped us earn this goodwill. We thrive in complexities and work towards fulfilling the need of the hour and our customers. One of our company's main objectives is to discover and develop new and innovative products to enhance the overall health of the citizens, leaving a positive impact.

#### MIPL SPECIALITIES:

- World Class Manufacturing Facility with Class 10000 Production area and Class 100 Area QC meeting ISO 14644-1 Requirements
- The manufacturing and testing is manned and Operated by MATU's Competent and Devoted Staff who are experienced and qualified staff duty approved by the Regulatory Authority. The Manufacturing and testing conforms to the requirements for surgical suture as specified in the United States Pharmacopeia (USP).



- All the equipments are calibrated regularly
- Any suture needle combination, we offer both 312 and 420 Atraumatic needles.
- In House Sterility testing for giving the Best Quality Product
- Economical Price.
- Delivery within 30 days.
- "International Color Coding" for Suture.
- OEM Brands.
- Samples & Special Prices for Tenders.
- All Sutures comply with international standards which are at least 1.1 times the USP standards for Tensile strength & Needle pull.
- All sutures are attached to drilled end ribbed needles for better grip in needle holder during surgery.
- Neutral Packing is also available

#### **Our VISION**

**Matu** sutures are being used in most of the hospital, having reduced the cost of healthcare to the patient by means of the most affordable pricing strategy. As we have specialized in the ophthalmic range of sutures our reasonable pricing strategy has helped the patient in reducing the cost of surgery.

#### **Our MISSION**

To produce excellent products and to be fair in our dealings by providing our customers with the Best quality products at a reasonable price.

# **OUR PRODUCTS**



# **Absorbable Surgical Suture**

Polyglycolic Acid Surure - <b>Glyco Secure</b>	6
Polyglycolin910 Suture - Flexa Glyde 910	10
Poliglecaprone25 Monofilament Suture - Capra Flex Mono	13
Polydioxanone Monofilament Suture - <b>Dio Flex Mono</b>	15
Plain Catgut Suture - Cat Gentle	17
Chromic Catgut Suture - Chromagut	19
Non-Absorbable Surgical Suture	
Polypropylene Monofilament Suture – <b>Pro Plio Flex</b>	22
Black braided silk suture – <b>Onyx Weave Silk</b>	25
Virgin Silk Black Suture - Silk Prime Noir	28
Polyester suture – <b>MatuFlex</b>	29
Polyamide monofilamentSuture – <b>Nylona Flex</b>	30
Stainless Steel Suture – Matu Steel	33

# **NEEDLE TYPES**



**Matu** needles are manufactured from highest quality stainless steel grades for outstanding performance, combining high ductility and strong bending moment. Advanced silicon coating ensures smooth penetration and reduced tissue trauma. The shape of the needle body is designed in order to allow maximum stability in the needle holder.

5/8 CIRCLE 1/2 CIRCLE 3/8 CIRCLE 1/4 CIRCLE J-NEEDLE STRAIGHT


**TAPER POINT** 

A gradual taper to a round bodied needle.




#### **TAPERCUT POINT**

Balanced, cutting point-tapering into a round bodied needle.



#### **REVERSE CUTTING**


A triangular body offers a third cutting edge on the outer convex curvature.



#### **EASY PASS NEEDLE**


Precision point with extra sharpening.





#### **SOFT CUTTING POINT - CORONARY**


A minute point followed by a round body and a rectangular main body for better penetration in cardiovascular surgery.





#### **CONVENTIONAL CUTTING**

A triangular body offers a third cutting edge on the inside concave curvature.





#### **BLUNT NEEDLE**

Cylindrical bodied needle with a rounded point. For soft tissue such as in liver and kidneys. Reduced risk of needle stick injuries.

#### **OUR CERTIFICATIONS**





### Certificate of Registration

This is to certify that the Quality Management System for Medical Devices

#### MATU INTERNATIONAL PVT LTD

B-11 JHILMIL INDUSTRIAL AREA DELHI 110095 INDIA

has been independently assessed and is compliant with the requirements of:

ISO 13485:2016

For the following scope of activities: ATEX SUBGICAL GLOVES (STERILE & NONSTERILE), PREGNANCY ATHETER, DIGITAL THERMOMETER, NEBULIZER, STETHOSCOPE, CLUMENTS, HOT WATER BOTTLE, ALCOHOL SWABS, SURGEONY, COVER, PULLOW COVER, COBO CLAMP, ECG ELECTRODE, ECG P

#### Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification 13th August 2022 Ist Surveillance Audit Due 2nd Surveillance Audit Due 12th August 2024 Certificate Expiry 12th August 2025

Certificate Number: UQ - 2022081372









#### Certificate of Compliance

Certificate Number: UQ-2022110744

This is to certify that

#### MATU INTERNATIONAL PRIVATE LIMITED

 $\label{eq:AtB-11} \textbf{At} \\ \textbf{B-11, JHILMIL INDUSTRIAL AREA, DELHI-110095, INDIA}$ 

Has successfully implemented the Quality Management System and been found working satisfactorily as per the norms of "Good Manufacturing Practice" as laid down by "World Health Organisation" which has been in conformance to the requirements of

#### WHO-GMP

Scope: SURGICAL, MEDICAL & DIAGNOSTIC PRODUCTS (MORE DETAIL AS PER APPENDIX PAGEI)

This certificate is issued under the following conditions:

- use certificate is issued under the following conditions:
  I. It applies only to the quality system maintained in the manufacture of above referenced Models Fresherts.
  2. The certificate remains valid until the manufacturing conditions or the quality systems are changed and is subject to continuous surveillance according to the WIHO-GMP Guidelines
  3. The certificate validity is conditioned by positive results or surveillance audits.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification 07th November 2022 1st Surveillance Audit Due 06th November 2023 2nd Surveillance Audit Due 06th November 2024 Certificate Expiry (subject to the company 06th November 2025













### Certificate of Compliance

Certificate No.: CE 1446

Manufacturer
Name : MATU INTERNATIONAL PRIVATE LIMITED

: B-11, JHILMIL INDUSTRIAL AREA, DELHI-110095, INDIA

Address : B-11, JHILMIL INDUSTRIAL AREA, DELHI-110095, INDIA
Product : SURGICAL, MEDICAL & DIAGNOSTIC PRODUCTS
(more detail as per appendix pagel & II)
TESTING STANDARD: ISO 28591- MIL Std. 105E (Sampling Plan) Sp. Insp. Level:
S2A,QL: 4 Single Sampling, Ac/Re limit ½

Complies with the requirements applicable to it
The quality system file has been assessed, approved and is subject to continuous surveillance according to the directive requirements of the Medical Device Directive EU Directive 93/42/EEC.
This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design crybe-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
4. After fulfilling the relevant Standard testing performance, the manufacturer, after onclosed to the referenced models.

The CR mark as abown above can be used, under the responsibility of the manufacturer, after completion of an EO Delaration of confirmity and compliance with all relevant EC Directives. The completion of an EO Delaration of confirmity and compliance with all relevant EC Directives. The completion of an EO Delaration of confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The completion of an EO Delaration of confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and compliance with all relevant EC Directives. The confirmity and complianc

Date of initial registration 15th September 2020 Date of this Certificate 19th May 2023 1st Surveillance Audit Due 18th May 2024 18th May 2025

2nd Surveillance Audit Due Certificate Expiry (subject to the company maintaining its system to the required standard





Page 1 of 3

18th May 2026



#### Synthetic Absorbable Surgical Suture

Glyco Secure (Polyglycolic Acid) Suture is an ideal and time tested synthetic absorbable suture, widely used by surgeons. All over the world. PGA's superior features over catgut are predictable absorption, outstanding tensile strength, in-vivo inertness and excellent handling properties.

Type : Braided and coated multifilament

Material : 100% Polyglycolic acid

Color : Violet

Tissue reaction : Minimal

Absorption : The hydrolytic action by which the material is broken down results in total

absorption in approximately 60 to 90 days. Approximately 50% of tensile strength

remains after 21 days.

**Tensile Strength**: 75% tensile strength is retained for 14 days and 50% till 21 days.

**USP Range** : 8/0−2

**Sterilization** : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

Packing : In aluminium foil packages with or without needle

#### **CHARACTERISTICS**

#### ☑ High tensile strength

☑ Synthetic

☑ Breaks down by hydrolysis

☑ Braided structure

☑ Coated multifilament

☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent tissue support
- Minimal tissue reaction
- Predictable absorption rate
- Excellent handling properties, High flexibility,

High tensile strength, Excellent knot security

• Soft passage through the tissues with minimal sawing, tissue drag and trauma. Good knot tie down / adjustability Reduced capillary action

• Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation. Especially in General surgery, Skin closure, Gastrointestinal surgery, Gynecology, Obstetrics

Plastic surgery, Urology, Ophthalmic surgery, Orthopedics

- Cardiovascular surgery
- Neurosurgery
- Being absorbable not to use when an Extended wound support is required.



# Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE S	IZE IN USP	)
NEEDLE LENGTH	DESCRIPTION	LENGTH	6-0(0.7)	5-0(1)	4-0(1.5)	3-0(2)
8 mm / 8 mm Double Needle	1/4 circle micro point spatulated	45 cm	OS 2670			
12 mm,	3/8 Circle Reverse Cutting	45 cm		OS 2493	OS 2494	OS 2495
16 mm,	3/8 Circle Cutting Prime	45 cm		OS 2442	OS 2443	OS 2471

NEEDLE LENGTH	NEEDLE	SUTURE		SUTU	JRE SIZE	IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	4-0(1.5)	3-0(2)	2-0(3)	1-0(3.5)	1(4)
20 mm	1/2 Circle Round Bodied	70 cm	OS 2304	OS 2437			
	Straight Round body(SRS needle)	45 cm					OS 2545
22 mm	3/8 Circle Cutting	45 cm		OS 2401			
22 mm	1/2 Circle Cutting	90 cm		OS 2472			
23 mm Heavy	1/2 Circle Reverse cutting	45 cm				OS 2826E	
(24 mm)	5/8 circle reverse cutting	45 cm				OS 2510 AD	
24 mm	1/2 Circle Reverse cutting	45 cm				OS 2510	
26 mm	3/8 Circle Reverse Cutting	76 cm Undyed		OS 2407U			
30 mm	1/2 Circle Round Bodied	70 cm			OS 2341	OS 2342	
		90 cm			OS 2317	OS 2338	
30 mm Heavy	1/2 circle taper cutting	45 cm					OS 2511



# Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE	SIZE IN US	SP
	DESCRIPTION	LENGTH	3-0(2)	2-0(3)	1-0(3.5)	1(4)
36 mm OS	1/2 Circle Reverse cutting	90 cm			OS 2534	
		70 cm			OS 2546	
40 mm	1/2 Circle Round Bodied	90 cm		OS 2345	OS 2346	
		115 cm			OS 2346+	
		70 cm				OS 2359
40 mm Heavy	1/2 Circle Round Bodied	90 cm				OS 2347
		115 cm				OS 2347+
40 mm Heavy 40 mm Heavy	½ Circle Round Body	160 cms				OS 2160
Double Needle	½ Circle taper cutting	140 cms			OS 2346 DA	OS 2347 DA
40 mm	1/2 Circle Reverse Cutting	45 cm		OS 2382S		
	1/2 Office Neverse Outling	90 cm		OS 2382		
		45 cm			OS 2361	
40 mm	1/2 Circle Taper cutting	90 cm			OS 2518	
		115cm			OS 2518+	
40 mm OS	1/2 Circle Reverse cutting	90 cm				OS 2421



### Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SUT	URE SIZE IN	USP
NEEDLE LENGTH	DESCRIPTION	LENGTH	2-0	1(4)	2(5)
40 mm Heavy	1/2 Circle Taper cutting	90 cm		OS 2364	
40 mm	1/2 Circle Reverse Cutting	90 cm	OS 2382	OS 2486	OS 2351
45 mm Heavy	1/2 Circle Round Bodied	90 cm			OS 2228
50 mm Heavy	1/2 Circle Round Bodied	115 cm		OS 2448+	

### **PRE-CUT SUTURES**

SUTURE LENGTH	DACKACING	SUT	TURE SIZE IN U	SP
SOTORE LENGTH	SUTURE LENGTH PACKAGING	2-0	1-0	1
1 x 150 cm	PGA in sterile foil over wrap pack 150 cms Box of 12's pack	OS 2203	OS 2204	OS 2205



#### Synthetic Absorbable Surgical Suture

**Flexa Glude 910 (Polyglactin 910)** suture is most widely used braided and coated synthetic absorbable suture in the world. On account of its superior properties, this suture has replaced catgut sutures in most applications. Polyglactin 910 suture is a synthetic absorbable sterile surgical suture composed of a copolymer made from 90% Glycolide and 10% L-lactide.

Type : Braided and coated multifilament

Material : Polyglycolide (90%) - co-lactide (10%) synthetic absorbable braided surgical suture

Color : Violet
Tissue reaction : Minimal

Absorption : The hydrolytic action by which the material is broken down results in total absorption in

approximately 42 days. Approximately 50% of tensile strength remains after 7 days.

**Tensile Strength**: 75% tensile strength is retained for 14 days and 50% till 21 days.

USP Range : 8/0-2

**Sterilization** : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

Packing : In aluminium foil packages with or without needle

#### **CHARACTERISTICS**

☑ High tensile strength

☑ Synthetic

☑ Breaks down by hydrolysis

☑ Braided structure

☑ Coated multifilament

☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent tissue support
- Minimal tissue reaction
- Predictable absorption rate
- Excellent handling properties, High flexibility,
   High tensile strength, Excellent knot security
- Soft passage through the tissues with minimal sawing, tissue drag and trauma. Good knot tie down / adjustability Reduced capillary action
- Guaranteed seal and product sterility

#### **INDICATIONS**

Superficial soft tissue closing of skin and mucosa only.

Especially in Plastic surgery, Obstetrics (Episiotomy repair), Gynecology, Urology (Circumcision)

·Ophthalmic surgery (Conjunctiva), ·Pediatric surgery.

- Cardiovascular surgery
- Neurosurgery
- Ligation
- When wound support for more than 7 days is required



# Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE S	IZE IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	6-0(0.7)	5-0(1)	4-0(1.5)	3-0(2)
8 mm (8 mm) Double Needle	1/4 circle micro point spatulated	45 cm	OS 2670			
12 mm,	3/8 Circle Reverse Cutting	45 cm		OS 2493	OS 2494	OS 2495
16 mm	1/2 Circle Round Body	45 cm		OS 2303		
(16 mm)	5/8 Circle Cutting	45 cm			OS 2465	
16 mm	3/8 Circle Prime Cutting	45 cm		OS 2442	OS 2443	OS 2471

NEEDLE LENGTH	NEEDLE	SUTURE		SUT	JRE SIZE	IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	4-0(1.5)	3-0(2)	2-0(3)	1-0(3.5)	1(4)
17 mm	1/2 Circle Taper Cutting	45 cm		OS 2515			
20 mm/	1/2 Circle Round Bodied	70 cm	OS 2304	OS 2437			
22 mm	3/8 Circle Cutting	45 cm		OS 2401			
22 mm	1/2 Circle Cutting	90 cm		OS 2472			
23 mm	½ Circle Reverse cutting (Heavy)	35 cm					OS 2826
(27 mm)	5/8 Circle Round Bodied	115cm			OS 2602		
30 mm /	1/2 Circle Round Bodied	70 cm			OS 2341	OS 2342	
	172 Girole Realia Bealea	90 cm			OS 2317	OS 2338	
30 mm Heavy	1/2 circle taper cutting	45 cm					OS 2511
36 mm	1/2 Circle Taper cutting	90 cm		OS 2516			



# Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE	SIZE IN US	SP
	DESCRIPTION	LENGTH	2-0(3)	1-0(3.5)	1(4)	2 (5)
36 mm	½ Circle Reverse cutting(OS)	90 cm		OS 2534		
		70 cm	OS 2345			
40 mm	1/2 Circle Round Bodied	90 cm		OS 2346		
		115 cm		OS 2346+		
40 mm 40 mm	1/2 Circle Round Bodied & 1/2 Circle Taper Cutting	140 cm		OS 2346DA		
Double Needle						
		45cm			OS 2347S	
40 mm	1/2 Circle Round Bodied	70 cm			OS 2359	
Heavy	1/2 Circle Round Bodied	90 cm	OS 2357		OS 2347	
		115 cm			OS 2347+	
40 mm 40 mm		140 cms OS 234			OS 2347DA	
Heavy Heavy	½ Circle taper cutting and ½ circle Round Bodied	160 cms			OS 2160	
Double Needle-Heavy		180 cms			OS 2180	
40 mm	1/2 Circle Poyerses Cutting	45 cm	OS 2382S			
	1/2 Circle Reverse Cutting	90 cm	OS 2382			OS 2351
40 mm	1/2 Circle Taper cutting	90 cm		OS 2518		
40 mm OS	1/2 Circle Reverse cutting	90 cm			OS 2421	
50 mm Heavy	1/2 Circle Round Bodied	100 cm			OS 2448+	



#### Synthetic Absorbable Surgical Suture

Capra Flex Mono (Poliglecaprone25) suture is a monofilament synthetic absorbable surgical suture prepared from a copolymer of glycolide and epsilon-caprolactone. Poliglecaprone 25 copolymer has been found to be non antigenic, non pyrogenic and elicits only a slight tissue reaction during absorption

: Monofilament Type

Material : Poliglecaprone 25, a copolymer made of 75% glycolide and 25% Caprolactone

Color : Violet Tissue reaction : Minimal

: The hydrolytic action by which the material is broken down results in total absorption in **Absorption** 

approximately 90 to 120 days. Approximately 60% of tensile strength remains after 7 days.

: 50% tensile strength is retained for 14 days. Tensile Strength

: 6/0-2**USP** Range

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

: In aluminium foil packages with or without needle Packing

#### **CHARACTERISTICS**

#### ☑ High tensile strength

☑ Synthetic

☑ Breaks down by hydrolysis

☑ Monofilament with microscopic uniform

diameter

☑ Pliability and softness

☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent tissue support
- Minimal tissue reaction
- Predictable absorption rate
- Soft passage through the tissues without sawing, tissue drag and trauma Absence of capillarity (no support of bacterial growth) Excellent knot tie down
- Good handling properties, Easy and secure knotting
- Guaranteed seal and product sterility

#### **INDICATIONS**

Superficial soft tissue and/or ligation especially in General surgery, Skin closure, Plastic surgery, Gastrointestinal surgery, Gynaecology, Urology

#### CONTRA INDICATIONS

- Cardiovascular surgery
- Neurosurgery
- Ophthalmic surgery
- Being absorbable not to use when an extended wound support is required

13 Website: www.matuhealthcare.com



Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE SIZE I	ZE IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	4-0	3-0	2-0	
16 mm	3/8 Circle Reverse Cutting Prime Needle	70 cm	OS 1205			
25 mm	3/8 Circle Reverse Cutting Prime Needle	70 cm		OS 1326		
26 mm	1/2 Circle Oval Round Bodied	70 cm		OS 1664	OS 1665	



#### Synthetic Absorbable Surgical Suture

Dio Flex Mono (Polydioxanone) monofilament synthetic absorbable suture is prepared from the polyester, poly (p-dioxanone).

Two important characteristics describe the in vivo performance of absorbable sutures first tensile strength retention and second the absorption rate (loss of mass). This synthetic absorbable suture has been formulated to minimize the variability of these characteristics and to provide wound support through an extended Healing period.

Type : Monofilament

Material : Polyester poly (p-dioxanone)

Color : Violet Tissue reaction : Minimal

Absorption : The hydrolytic action by which the material is broken down results in total absorption in

approximately 180 to 210 days. Approximately 50% of tensile strength remains after 42 days.

Tensile Strength : 50% tensile strength is retained for 14 days.

**USP** Range : 6/0-2

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

: In aluminium foil packages with or without needle Packing

#### **CHARACTERISTICS**

#### ☑ High tensile strength

☑ Synthetic

☑ Breaks down by hydrolysis

☑ Monofilament with microscopic uniform diameter

✓ Pliability and softness

☑ Hermetically sealed packing

#### **BENEFITS**

- Outstanding strength retention for extended wound support
- Minimal tissue reaction
- Predictable absorption rate
- Soft passage through the tissues without sawing, tissue drag and trauma Absence of capillarity (no support of bacterial growth) Excellent knot tie down
- Good handling properties, Easy and secure knotting
- Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing especially in General surgery, Gastrointestinal surgery, Ophthalmic surgery, Orthopaedics, Abdominal wall closure, Gynaecology, Plastic surgery, Urology

- Cardiovascular surgery
- Neurosurgery
- Prosthetic devices
- Being absorbable not to use when wound support for more than 6 weeks is required.



Synthetic Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SU	TURE SIZE IN U	SP
NEEDLE LENGTH	DESCRIPTION	LENGTH	3.0	1-0	1
20 mm	1/2 Circle Round Bodied	70 cm	OS 9237		
30 mm Heavy	1/2 Circle Round Bodied	70 cm		OS 9254	
40 mm Heavy	1/2 Circle Round Bodied	90 cm		OS 9371	OS 9248
50 mm Heavy	1/2 Circle Round Bodied	150 cm			OS 9262
50 mm Heavy	1/2 Circle Reverse Cutting	90 cm Loop			OS 9374



#### Absorbable Surgical Suture

Cat Gentle (Plain Catgut) is a fast absorbing surgical gut suture made from strand of collage nous material prepared from the sub mucosal layers of the small intestine of healthy sheep. Fast absorbing surgical gut sutures are sterile and elicit only a slight to minimal tissue reaction during absorption

Type : Twisted multifilament with a monofilament appearance

Material : None Color : Beige

Tissue reaction : Moderate. Plain catgut enjoys lower tissue reaction

**Absorption** : By phagocytosis. Complete mass absorption in approximately 65 days. Approximately 50%

> of tensile strength remains after 7 days. When used in infected tissues or in tissues with increased levels of proteolytic enzymes (stomach, cervix, and vagina) it is more quickly

absorbed.

**Tensile Strength**: Tensile strength is retained for 7 - 14 days.

**USP** Range : 5/0-3

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

: In aluminium foil packages with or without needle **Packing** 

#### **CHARACTERISTICS**

☑ High tensile strength

☑ Absorption by phagocytosis

☑ Twisted structure

☑ Uniform diameter by centerless polishing

(monofilament appearance)

☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent tissue support
- Uniform absorption
- Excellent handling properties, High flexibility

High tensile strength, Excellent knot security • Soft passage through the tissues without sawing, tissue drag and

trauma.

Excellent knot tie down

• Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Gastrointestinal surgery, Gynaecology, Obstetrics, Urology, Ophthalmic surgery

- Cardiovascular surgery, Neurosurgery
- Being absorbable not to use when an extended wound support is required.
- Caution in patients with delayed wound healing (e.g. compromised immune system).
- In the region of infected wounds known sensitivities or allergies to Collagen



### Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SU	ITURE SIZE	IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	4-0(2)	3-0(3)	2-0(3.5)	1-0(4)
16 mm	3/8 Circle Cutting	76 cm	OS 4270			
22 mm /	3/8 Circle Cutting	76 cm		OS 5010		
30 mm	1/2 Round Bodied	76 cm				OS 4342
30 mm	3/8 Circle Round Bodied	76 cm			OS 5033	

# PRECUT SUTURES (NON NEEDLED)

CUTUDE LENGTH	DACKACING	SUTURE SIZE IN USP		
SUTURE LENGTH	PACKAGING	2-0(3.5)	1-0(4)	
1 x 152 cm	Catgut plain-in sterile foil over wrap pack 152 Cms. Box of 12's pack	OS 2003	OS 2004	



#### Absorbable Surgical Suture

Chromagut (Chromic Gut) is an absorbable, sterile surgical suture composed of purified connective tissue (mostly collagen)

Derived from the sub mucosal fibrous layer of healthy sheep intestines. Strands of purified collagen taken from the Serosal layer of selected bovines, tanned with chrome salts to provide Greater resistance to absorption.

: Twisted multifilament with a monofilament appearance Type

Material : None

Color : Dark brown Tissue reaction : Moderate.

**Absorption** : By phagocytosis. The rate of absorption is slowed down by chromizing. Complete mass

> absorption in approximately 90 days. Approximately 50% of tensile strength remains after 14 days. When used in infected tissues or in tissues with increased levels of proteolytic Enzymes

(stomach, cervix, vagina) it is more quickly absorbed.

Tensile Strength : Tensile strength is retained for 14 - 21 days.

**USP** Range : 5/0-3

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

: In aluminium foil packages with or without needle **Packing** 

#### **CHARACTERISTICS**

☑ High tensile strength

☑ Absorption by phagocytosis

☑ Twisted structure

☑ Uniform diameter by centerless polishing

(monofilament appearance)

☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent tissue support
- Uniform absorption
- Excellent handling properties, High flexibility High tensile strength, Excellent knot security
- Soft passage through the tissues without sawing, tissue drag and trauma.
  - Excellent knot tie down
- Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Gastrointestinal surgery, Gynaecology, Obstetrics, Urology, Ophthalmic surgery

- Cardiovascular surgery, Neurosurgery
- Being absorbable not to use when an extended wound support is required.
- Caution in patients with delayed wound healing (e.g. compromised immune system).
- In the region of infected wounds Known sensitivities or allergies to collagen or chromium



# Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	5	SUTURE S	SIZE IN US	P
NEEDLE LENGTH	DESCRIPTION	LENGTH	4-0(2)	3-0(3)	2-0(3.5)	1-0(4)
12 mm	1/2 Circle Reverse Cutting	76 cm		OS 4272		
16 mm/	3/8 Circle Round Bodied	76 cm	OS 5048			
16 mm	3/8 Circle Cutting	76 cm	OS 4280	OS 4274		
20 mm	1/2 Circle Round Bodied	76 cm		OS 4237		
22 mm /	3/8 Circle Cutting	76 cm		OS 4201		
30 mm	3/8 Circle Round Bodied	76 cm			OS 4216	OS 4217
30 mm	1/2 Circle Round Bodied	76 cm			OS 4241	OS 4242
30 mm Heavy	1/2 Circle Round Bodied	76 cm				OS 4254
36 mm 36 mm Double Needle	1/2 Circle Round Bodied & 1/2 Circle Reverse Cutting	152 cm			OS 4277	
40 mm	3/8 Circle Round Bodied	76 cm			OS 4220	OS 4221
40 mm	1/2 Circle Round Bodied	76 cm			OS 4245	OS 4246



### Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	S	SUTURE S	IZE IN US	P
NEEDLE LENGTH	DESCRIPTION	LENGTH	2-0(3.5)	1-0(4)	1(5)	2(6)
40 mm Heavy	1/2 Circle Round Bodied	76 cm		OS 4258	OS 4259	
40 mm Heavy	1/2 Circle Taper Cutting	100 cm		OS 4279		
45 mm	3/8 Circle Round Bodied	76 cm			OS 4226	
45 mm 45 mm Double Needle	1/2 Circle Round Bodied & 1/2 Circle Reverse Cutting	152 cm		OS 4276	OS 4275	
45 mm Heavy	1/2 Circle Round Bodied	100 cm		OS 4229	OS 4227	OS 4228
50 mm Heavy	1/2 Circle Round Bodied	100 cm			OS 4248	

### PRECUT SUTURES (NON NEEDLED)

	SUTURE LENGTH	PACKING -	SUTURE SIZE IN USP					
		PACKING	3-0(3)	2-0(3.5)	1-0(4)	1(5)	2(6)	
	1 x 152 cm	Catgut chromic-in sterile foil over wrap. pack 152 Cms. box of 12's pack	OS 2212	OS 2213	OS 2214	OS 2215	OS 2216	



#### Synthetic Non Absorbable Surgical Suture

Proplio Flex (Polypropylene Sutures) (clear or pigmented) are non-absorbable, sterile surgical suture composed of an isotactic crystalline stereoisomer of polypropylene, a synthetic linear polyolefin. The suture is pigment blue to enhance visibility.

SYNTHALIN Polypropylene Sutures are indicated for use in general soft tissue approximating and/or ligation, including use in cardiovascular, ophthalmic procedures, and neurological procedures.

Type : Monofilament

Material : Polypropylene, a polymer of propylene

Color : Blue

Tissue reaction : Minimal

**Absorption** : Non absorbable

Tensile Strength : Excellent tensile strength, Excellent knot tying, Minimum tissue reaction

USP Range : 10/0 - 2

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

**Packing** : In aluminium foil packages/Medical Grade ETO Pouches with or without needle

#### **CHARACTERISTICS**

- ✓ High tensile strength, non absorbable Excellent and permanent tissue support
- ☑ Resistance to repeated bending
- ☑ Synthetic
- ☑ Monofilament with microscopic Uniform diameter
- ✓ Pliability and softness
- ☑ Hermetically sealed packing

#### **BENEFITS**

- Use in cardiovascular surgery (heart prosthesis or vascular anastomosis)
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma.

Absence of capillarity (no support of bacterial growth) Excellent knot tie down

- Good handling properties, Easy and secure knotting
- Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Gastrointestinal surgery, Gynaecology, Obstetrics, Urology, Ophthalmic surgery

- Cardiovascular surgery, Neurosurgery
- Being absorbable not to use when an extended wound support is required.
- Caution in patients with delayed wound healing (e.g. compromised immune system).
- In the region of infected wounds Known sensitivities or allergies to collagen or chromium



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTUR	RE SIZE	IN USP	
NEEDLE LENGTH	DESCRIPTION	LENGTH	6-0(0.7)	5-0(1)	4-0(1.5)	3-0(2)	2-0(3)
12 mm,	3/8 Circle Reverse Cutting	45 cm	OS 878				
	3/6 Circle Reverse Culting	70 cm		OS 880			
16 mm	3/8 Circle Round Bodied	70 cm		OS 881			
16 mm	3/8 Circle Cutting	70 cm			OS 870		
16 mm	1/2 Circle Round Bodied	70 cm			OS 849		
17 mm, -17 mm Double Needle	1/2 Circle Taper cutting	70 cm			OS 835		
20 mm	1/2 Circle Round Bodied	70 cm				OS 887	
22 mm	3/8 Circle Cutting	80 cm				OS 018	OS 017
25 mm	1/2 Circle Round Bodied	90 cm				OS 825	
25 mm 25 mm Double Needle	1/2 Circle Round Bodied	70 cm				OS 882	



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SUTURE SIZE IN USP				
NEEDLE LENGTH	DESCRIPTION	LENGTH	2-0(3)	1-0(3.5)	1(4)		
25 mm	1/2 Circle Taper cutting	70 cm		OS 805			
25 mm 25 mm Double Needle	1/2 Circle Taper Cutting	90 cm	OS 877				
26 mm 26 mm Double Needle	1/2 Circle Round Bodied	90 cm		OS 824			
30 mm	1/2 Circle Round Bodied	90 cm	OS 841	OS 842			
30 mm Heavy	1/2 Circle Round Bodied	90 cm		OS 830	OS 840		
40 mm Heavy	1/2 Circle Round Bodied	100 cm			OS 843		
45 mm Heavy	1/2 Circle Reverse Cutting	100 cm			OS 883		



#### Synthetic Non Absorbable Surgical Suture

Onyx Weave Silk (Black Braided Silk) is a non absorbable, sterile, surgical suture composed of an organic protein called fibroin. This protein is derived from the domesticated species Bombyx mori (B. More) of the family Bombycidae. These are processed to remove the natural waxes and gums. DURASIL suture is dyed black and coated with a special wax mixture. Durasil is indicated for use in general soft tissue approximation and/or ligation, including use in Cardiovascular, ophthalmic and neurological procedures.

: Black Braided multifilament. Type

: Braided fibres from the cocoon of the silkworm coated with Wax silicone. Material

Color : Black

Tissue reaction : Moderate

: Silk suture elicits an initial inflammatory reaction in tissues, which is followed by Gradual **Absorption** 

encapsulation of the suture by fibrous connective tissues.

Tensile Strength : Excellent tensile strength, Excellent knot tying, Minimum tissue reaction

: 7/0-4 **USP** Range

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

: In aluminium foil packages/Medical Grade ETO Pouches with or without needle Packing

#### **CHARACTERISTICS**

#### **BENEFITS**

☑ High tensile strength, non absorbable • Good and extended tissue support for up to 3 month

☑ Braided or twisted structure

• Excellent handling properties, High flexibility High tensile strength, Excellent knot security

☑ Coated multifilament

• Soft passage through the tissues with minimal sawing, tissue drag and trauma. Good knot tie down / adjustability

Reduced capillary action

☑ Hermetically sealed packing

• Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Skin closure, Ophthalmic surgery Oral surgery, Gastrointestinal surgery, Gynaecology, Obstetrics.

- Urinary tract, Biliary tract
- Known allergies or sensitivities to silk



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SUTURE SIZE IN USP				
NEEDLE LENGTH	DESCRIPTION	LENGTH	5-0(1)	4-0(1.5)	3-0(2)	2-0(3)	
12 mm	3/8 Circle Reverse Cutting	76 cm	OS 5080				
16 mm	3/8 Circle Cutting	76 cm		OS 5001	OS 5002		
16 mm	3/8 Circle round bodied	76 cm	OS 5081	OS 5082			
16 mm	1/2 Circle Round Bodied	76 cm		OS 5049			
20 mm	1/2 Circle Round Bodied	76 cm		OS 5086	OS 5087		
25 mm	1/2 Circle Round Bodied	76 cm			OS 5070		
25 mm	1/2 Circle Taper Cutting	76 cm				OS 5670	
26 mm	3/8 Circle Reverse Cutting	76 cm			OS 5028	OS 5029	

NEEDLE LENGTH	NEEDLE	SUTURE	S	UTURE S	IZE IN US	Р
NEEDLE LENGTH	DESCRIPTION	RIPTION LENGTH	2-0(3)	1-0(3.5)	1(4)	2(5)
30 mm Heavy	1/2 Circle cutting	76 cm	OS 5072			
30 mm	1/2 Circle cutting	76 cm		OS 5077		
30 mm	1/2 Circle Round Bodied	76 cm	OS 5333	OS 5334		
1/2 Circle Round Bodied	90 cm	OS 5331				
36 mm	3/8 Circle cutting	76 cm	OS 5362	OS 5360	OS 5361	
40 mm	1/2 Circle cutting	76 cm		OS 5064		
40 mm	1/2 Circle reverse cutting	76 cm	OS 5067	OS 5068	OS 5069	
40 mm	1/2 Circle Round Bodied	76 cm		OS 5075	OS 5063	OS 5073



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE	SUTURE SIZE IN USP			
NEEDLE LENGTH	DESCRIPTION	LENGTH	2-0(3)	1-0(3.5)	1(4)	
45 mm		76 cm	OS 5036			
	3/8 Circle Reverse Cutting	90 cm		OS 5037		
50 mm	1/2 Circle Reverse Cutting	76 cm	OS 5052			
60 mm	3/8 Circle Cutting	76 cm			OS 5062	

### PRECUT SUTURES (NON NEEDLED)

SUTURE LENGTH	PACKING	SUTURE SIZE IN USP				
		3-0(2)	2-0(3)	1-0(3.5)	1(4)	
2 x 75 cm	Sterilised black braided silk in sterile foil over wrap. 2 x 75 cm box of 12's pack.	OS 212	OS 213	OS 214	OS 215	

### **SILK REELS**

SUTURE LENGTH	PACKING	SUTURE SIZE IN USP					
25 METERS		3-0(2)	2-0(3)	1-0(3.5)	1(4)		
6 Reels in a Box Non sterile	Surgical black braided 6 reels x 25 meters. (Non-sterile)	OS 822	OS 823	OS 824	OS 825		



#### Synthetic Non Absorbable Surgical Suture

Silk Prime Noir (Virgin Silk) is a non absorbable, sterile, surgical Made from filaments of silk fibre which are held together by natural gum secreted by the silk worm.

Durasil is indicated for use in general soft tissue approximation and/or ligation, including use in Cardiovascular, ophthalmic and neurological procedures.

: Twisted multifilament. Type

: Twisted fibres from the cocoon of the silkworm Material

Color : Blue

Tissue reaction : Moderate

**Absorption** : Silk suture elicits an initial inflammatory reaction in tissues, which is followed by Gradual

encapsulation of the suture by fibrous connective tissues.

Tensile Strength : Excellent tensile strength, Excellent knot tying, Minimum tissue reaction

**USP** Range : 10-0 to 8-0

: EO (Ethylene Oxide) Sterilization

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

**Packing** : In aluminium foil packages/Medical Grade ETO Pouches with or without needle

#### **CHARACTERISTICS**

#### **BENEFITS**

✓ High tensile strength, non absorbable • Good and extended tissue support for up to 3 month

☑ Braided or twisted structure

• Excellent handling properties, High flexibility High tensile strength, Excellent knot security

☑ Coated multifilament

• Soft passage through the tissues with minimal sawing, tissue

drag and trauma. Good knot tie down / adjustability

Reduced capillary action

☑ Hermetically sealed packing

• Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Skin closure, Ophthalmic surgery Oral surgery, Gastrointestinal surgery, Gynaecology, Obstetrics.

- Urinary tract, Biliary tract
- Known allergies or sensitivities to silk



#### Synthetic Non Absorbable Surgical Suture

Matu Flex (Polyster suture) is a non absorbable, braided, sterile, surgical suture composed of Poly (ethylene terephthalate). It is prepared from fibers of high molecular weight, long-chain, linear polyesters having recurrent aromatic rings as an integral component. The suture is uniformly coated with polybutilate or poly {oxy-1, 4 butanediyloxy (1, 6-dioxo-1, 6 hexanediyl)}. The highly adherent coating is a relatively nonreactive non absorbable compound which acts as a lubricant to mechanically improves the physical properties of the uncoated suture by improving handling qualities as contrasted to the braided, uncoated fiber. NEOBOND Suture is braided for optimal handling properties, and dyed green for enhanced visibility.

Type : Braided multifilament

Material : Polyester - a polymer of polyethylene terephthalate coated with Silicone, Teflon

Color : Green
Tissue reaction : Minimal

**Absorption**: Non absorbable, gradually encapsulated by connective tissue

**Tensile Strength**: Excellent tensile strength, Excellent knot tying, Minimum tissue reaction

USP Range : 5/0-5

**Sterilization** : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

Packing : In aluminium foil packages/Medical Grade ETO Pouches with or without needle

#### **CHARACTERISTICS**

- ✓ Unsurpassed tensile strength, non absorbable
- ☑ Resistance to repeated bending
- ☑ Synthetic
- ☑ Braided structure
- ☑ Coated multifilament
- ☑ Hermetically sealed packing

#### **BENEFITS**

- Excellent and permanent tissue support
- Use in cardiovascular surgery (heart prosthesis)
- Minimal tissue reaction
- Excellent handling properties, High flexibility,
   High tensile strength. Excellent knot security
- Soft passage through the tissues with minimal sawing, tissue drag and trauma. Good knot tie down / adjustability.
   Reduced capillary action
- Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation especially in General surgery, Skin closure, Ophthalmic surgery Oral surgery, Gastrointestinal surgery, Gynaecology, Obstetrics.



#### Synthetic Non Absorbable Surgical Suture

Nylona Flex (Monofilament ) Suture is non absorbable, sterile surgical monofilament suture composed of the long-chain aliphatic polymers Nylon 6 and Nylon 6, 6. This Suture is dyed black / blue or green to enhance visibility in tissue. It is mostly used in ophthalmic and neurological procedures

: Monofilament Type

Material : Extrusion of polyamide 6.0 or 6.6

Color : Black/Green

Tissue reaction : Minimal

**Absorption** : Non absorbable, gradually encapsulated by connective tissue. The thread mass Diminishes,

approximately 10% a year by rupture of chemical links (hydrolytic action).

: Excellent tensile strength, Excellent knot tying, Minimum tissue reaction Tensile Strength

**USP** Range : 10/0 - 2

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

#### **CHARACTERISTICS**

☑ Synthetic

☑ Monofilament with microscopic

uniform diameter

✓ Pliability and softness

☑ Hermetically sealed packing

#### **BENEFITS**

- ☑ High tensile strength, non absorbable Excellent and permanent tissue support
  - Minimal tissue reaction
  - Soft passage through the tissues without sawing, tissue drag and trauma. Absence of capillarity (no support of bacterial growth)

Excellent knot tie down

 Good handling properties Easy and secure knotting

• Guaranteed seal and product sterility

#### **INDICATIONS**

General soft tissue closing and/or ligation

Blue :- especially in Skin closure, General surgery, Plastic surgery, Gastrointestinal surgery, Gynaecology Obstetrics, Orthopaedics

Black :- especially in Plastic surgery, Ophthalmic surgery



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE	SUTURE		SUTURE SIZE IN USP				
NEEDEE EENOM	DESCRIPTION	LENGTH	10-0	6-0(0.7)	5-0(1)	4-0(1.5)	3-0(2)	2-0(3)
Double needle	3/8 Circle spatulated micro point	38 cm	OS 3719					
10 mm,	3/8 Circle Reverse Cutting	70 cm		OS 3320				
12 mm,	3/8 Circle Reverse Cutting	70 cm			OS 3317			
16 mm	3/8 Circle Cutting	35 cm			OS 3315			
	Ç	70 cm				OS 3318	OS 3321	
26 mm	3/8 Circle Reverse Cutting	100 cm					OS 3328	OS 3329
	o, o official reverse outling	45 cm					OS 3328S	OS 3329S

NEEDLE LENGTH	NEEDLE DESCRIPTION	SUTURE LENGTH	SUTURE SIZE IN USP			
			2-0(3)	1-0(3.5)	1(4)	
36 mm	3/8 Circle Cutting	100 cm	OS 3236	OS 3239		
40 mm	1/2 Circle Reverse cutting	100 cm		OS 3337		
		45 cm		OS 3337S		
40 mm	1/2 Circle Round Bodied	150 cm (Loop)		OS 3340		
40 mm Heavy	1/2 Circle Reverse cutting	100 cm		OS 3339		
40 mm Heavy	1/2 Circle Round Bodied	100 cm		OS 3346	OS 3347	



# Synthetic Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE DESCRIPTION	SUTURE LENGTH	SUTURE SIZE IN USP			
NEEDLE LENGTH			2-0(3)	1-0(3.5)	1(4)	
45 mm	3/8 Circle Reverse Cutting	45 cm	OS 3336S			
		100 cm	OS 3336	OS 3335	OS 3334	
45 mm Heavy	1/2 Circle Reverse Cutting	100 cm			OS 3338	
50 mm Heavy	1/2 Circle Round Bodied	150 cm (Loop)			OS 3348	
60 mm	Straight Cutting	70 cm	OS 3390	OS 3389		
90 mm	3/8 Circle Cutting	100 cm			OS 3397	

### **PRE-CUT SUTURES**

SUTURE LENGTH	DACKACING	SUTURE SIZE IN USP				
	PACKAGING	2-0(3)	1-0(3.5)	1(4)		
5 x 35 cm	Sterilised Monofilament in sterilised foil over wrap. 5 x 35 cm box of 12's pack	OS 703	OS 704	OS 705		
2 x 76 cm	Sterilised Monofilament in sterilised foil over wrap. 2 x 76 cm box of 12's pack	OS 903	OS 904	OS 905		



#### Non Absorbable Surgical Suture

Matu Steel (Stainless Steel) Suture a non absorbable, sterile surgical suture composed of 316L stainless steel conforming to ASTM Standard F138 Grade 2 Stainless Steel bar and wire for surgical implants. Steel sutures meet all requirements established by the United (States Pharmacopeia USP and for non absorbable surgical sutures. The sutures are available as a monofilament and multifilament suture

: Monofilament Type

Material : Iron, nickel and chromium alloy

Color : Metal

Tissue reaction : Minimal

Absorption : Non absorbable

**Tensile Strength**: Excellent tensile strength, Excellent knot tying, Minimum tissue reaction

**USP** Range : 7-5/0

Sterilization : EO (Ethylene Oxide)

Needle Type : Round bodied, cutting edge, taper point, straight, blunt point

**BENEFITS** 

**Packing** : In Medical Grade ETO Pouches with needle

#### **CHARACTERISTICS**

#### ☑ High tensile strength,

non absorbable

☑ Synthetic Minimal tissue reaction

☑ Ductile and malleable

• Good handling properties

☑ Monofilament with

microscopic uniform diameter

• Soft passage through the tissues without sawing, tissue drag and trauma Absence of capillarity (no support of bacterial growth)

Excellent knot tie down

• Excellent and permanent tissue support

☑ Hermetically sealed packing

• Guaranteed seal and product sterility

#### **INDICATIONS**

Closure of sternum, Orthopaedics, Abdominal wall closure and hernia repair

#### CONTRA INDICATIONS

Known sensitivities or allergies to stainless or metals such as chromium and nickel



Non Absorbable Surgical Suture

NEEDLE LENGTH	NEEDLE DESCRIPTION	СИТ	SUTURE LENGTH	SUTURE SIZE IN USP				
				1	2	5	6	7
40 mm	1/2 Circle Blunt Point Round Bodied	0	4 x 45 cm	OS 661	OS 662			
40 mm	1/2 Circle Taper Cutting	$\otimes$	4 x 45 cm	OS 660	OS 650			
45 mm	1/2 Circle Blunt Point Round Bodied	0	4 x 45 cm			OS 651	OS 649	
			2 x 75 cm				OS 645	
48mm	1/2 Circle	<b>A</b>	4 x 45 cm			OS 653	OS 654	OS 657
	Conventional Cutting		2 x 75 cm			OS 646	OS 644	
48mm	1/2 Circle Blunt Point Round Bodied	0	2 x 75 cm			OS 643		

#### MATU SUTURES EXPORT BOX PACKING





















#### **B-11, JHILMIL INDUSTRIAL AREA, DELHI-110095**

matuhealthcare.com

+91 11 44717265, +91 9821133428

sales@matuhealthcare.com



